

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
S 50412620

Blatt *Sheet*
0001

Ihr Zeichen <i>Client Reference</i>	Unser Zeichen <i>Our Reference</i>	Längstens gültig bis	<i>Latest expiration date</i>
Thomas Huang	01-SCJ-50139091 001	31.07.2023	(day/mo/yr)

Genehmigungsinhaber *License Holder*

Shanghai Guanhua Kitchenwares
Co., Ltd.
Building 1, No. 800, Xinzhou Road,
Xincun town, Chongming county,
Shanghai 202172
P. R. China

Fertigungsstätte *Manufacturing Plant*

Shanghai Guanhua Kitchenwares
Co., Ltd.
Building 1, No. 800, Xinzhou Road,
Xincun town, Chongming county,
Shanghai 202172
P. R. China

Prüfzeichen *Test Mark*



Geprüft nach *Tested acc. to*
DIN EN 12778/09.05
AfPS GS 2014:01

Zertifiziertes Produkt (Geräteidentifikation) *Certified Product (Product Identification)*

Lizenzentgelte - Einheit *License Fee - Unit*

Dampfdruckkochtopf (Pressure Cooker)

Bezeichnung	:	G030801	G030802	G030803	7
(Type Designation)	:	G030804	G030805		2
Nennvolumen	:	3,5 L	6 L	8 L	
(Capacity)	:	4 L	6 L		
Arbeitsdruck	:	70 / 100 kPa			
(Cooking Pressure)	:				

9

ANLAGE (Appendix): 1

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Produkt und Fertigungsstätte erfüllen § 20 und § 21 des
Produktsicherheitsgesetzes.
*This certificate is based on our Testing and Certification Regulation.
Product and production fulfill par § 20 and § 21 of the
Product Safety Law.*

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety

Ausstellungsdatum *Date of Issue* : 01.08.2018 (day/mo/yr)



Zertifizierungsstelle

Dipl.-Ing. (TU) G. Reimann

Shanghai Guanhua Kitchenwares Co.,
Ltd.
Thomas Huang
-
Building 1, No. 800, Xinzhou Road,
Xincun town, Chongming county,
Shanghai 202172
P. R. China

Date : 01.08.2018
Our ref. : SCJ 01
Your ref.: Thomas Huang

Ref : S GS-Mark Approval

Type of Equipment : Pressure Cooker
Model Designation : See Certificate
Certificate No. : S 50412620 0001
Report No. : 50139091 001

Dear Thomas Huang,

The above specified equipment has been tested and found to be in accordance with the relevant requirements.


Please find enclosed your certificate as specified above.

If cancellation of the certificate is submitted by 15 November in a given year, no fee will be charged for the following year.

The certificate is issued with the reservation that the license holder applies all information required in § 6 of the ProdSG related to name and address of the manufacturer or his authorized representative / importer, including their respective contact addresses on the product prior to marketing of the product in the European Economic Area.

With kind regards,

Certification Body


Dipl.-Ing. (TU) G. Reimann

cc: Shanghai Guanhua Stainless Steel

Enclosure

证书的详细资料请登陆www.certipedia.com查阅,或拨打我司客服热线800 999 3668 / 400 883 1300咨询

Produktsicherheit und -qualität <i>Product Safety and Quality</i>	Zertifikat Nr. <i>Certificate No.</i> S 50412620 0001	Unser Zeichen <i>Our Reference</i> 01-SCJ- 50139091 001	Anlage <i>Appendix</i> 1
---	---	---	--

Constructional Data Form (page 1 of 1)

- 1.1 License Holder:** **Shanghai Guanhua Kitchenwares Co., Ltd.**
Building 1, No. 800, Xinzhou Road, Xincun town, Chongming county, Shanghai, P.R.China.
- 1.2 Manufacturing Plant:** **Shanghai Guanhua Kitchenwares Co., Ltd.**
Building 1, No. 800, Xinzhou Road, Xincun town, Chongming county, Shanghai, P.R.China.
- 1.3 Product Identification:** **Pressure Cooker**
- 1.4 Type Designation:** **G030801; G030802; G030803; G030804; G030805**

2.1 Technical Specifications


Type	G030801	G030802	G030803	G030804	G030805
[1] Capacity (L)	3,5	6	8	4	6
[2] Cooker body height (mm)	84	140	184	115	167
[3] Weight (kg)	3,0	3,3	3,5	2,5	2,7
[4] Inner diameter (mm)	240	240	240	220	220
[5] Bottom diameter (mm)	226	226	226	182	182
[6] Cooking pressure (kPa)	70 / 100	70 / 100	70 / 100	70 / 100	70 / 100
[7] Safety pressure (kPa)	130-180	130-180	130-180	130-180	130-180
[8] Gasket extrusion pressure (kPa)	200-300	200-300	200-300	200-300	200-300

2.2 Components (all types have the same dimensions and materials)

[1] Body	T: 1,17-1,20mm	Material: Stainless steel SUS304
[2] Bayonets on body	T: 1,29mm; W: 13mm; H: 4mm	--
[3] Lid	T: 1,17-1,25mm	Material: Stainless steel SUS304
[4] Bottom	T: 5,2-5,7mm	Material: SUS304+Al+SUS430 (Sandwich)
[5] Handle	L: 168mm / L: 80mm; b:80mm	Material: Bakelite (PF)
[6] Gasket	Mark: "GH24-B1" and Year/Month for inner diameter 240mm "GH22-B1" and Year/Month for inner diameter 220mm	Material: Silicone rubber
[7] Surface treatment	Polish finish	--
[8] Inside treatment	Satin finish	--

Outline:



Clamp 8L 26.07.2018

TÜV Rheinland Group

(Place)

(Date)

(Stamp and signature of License holder)